

**EPA Superfund
Record of Decision:**

**ELLSWORTH AIR FORCE BASE
EPA ID: SD2571924644
OU 04
ELLSWORTH AFB, SD
05/16/1995**

Final
Record of Decision for
Interim Action at Operable Unit 4
Landfill No. 3 Area
Ellsworth Air Force Base, South Dakota

United States Air Force
Air Combat Command
Ellsworth Air Force Base

May, 1995

TABLE OF CONTENTS

Chapter	Page
1.0 DECLARATION	1-1
1.1 SITE NAME AND LOCATION	1-1
1.2 STATEMENT OF BASIS AND PURPOSE	1-1
1.3 ASSESSMENT OF THE SITE	1-1
1.4 DESCRIPTION OF SELECTED REMEDY	1-1
1.5 STATUTORY DETERMINATION	1-3
1.6 SIGNATURE AND AGENCY CONCURRENCE ON THE REMEDY	1-3
2.0 DECISION SUMMARY	2-1
2.1 SITE NAME AND LOCATION	2-1
2.2 DESCRIPTION/HISTORY AND REGULATORY OVERSIGHT ACTIVITIES	2-1
2.2.1 Description/History	2-1
2.2.2 Regulatory Oversight Activities	2-2
2.3 HIGHLIGHTS OF COMMUNITY PARTICIPATION	2-2
2.4 SCOPE AND ROLE OF RESPONSE ACTION	2-3
2.5 SITE CHARACTERISTICS	2-4
2.5.1 Soils	2-4
2.5.2 Ground-water	2-4
2.6 OU-4 RISK SUMMARY	2-5
2.7 DESCRIPTION OF ALTERNATIVES	2-7
2.8 SUMMARY OF COMPARATIVE ANALYSIS OF ALTERNATIVES	2-8
2.8.1 Overall Protection of Human Health and the Environment	2-8
2.8.2 Compliance with ARARs	2-8
2.8.3 Long-Term Effectiveness and Permanence	2-10
2.8.4 Reduction of Toxicity, Mobility, and Volume Through Treatment...	2-10
2.8.5 Short-Term Effectiveness	2-11
2.8.6 Implementability	2-11
2.8.7 Cost	2-12
2.8.8 State Acceptance	2-12
2.8.9 Community Acceptance.....	2-12
2.9 SELECTED ALTERNATIVE	2-12
2.10 STATUTORY DETERMINATIONS	2-13
2.10.1 Protection of Human Health and the Environment	2-13
2.10.2 Compliance with ARARs	2-13
2.10.3 Cost Effectiveness	2-14
2.10.4 Utilization of Permanent Solutions and Alternative Treatment Technologies to the Extend Possible	2-14
2.10.5 Preference for Treatment as a Principal Element	2-15
2.11 DOCUMENTATION OF SIGNIFICANT CHANGES	2-15
3.0 LIST OF ACRONYMS AND ABBREVIATIONS	3-1

LIST OF TABLES

Table 2-1 Evaluation of Federal and State ARARs That Apply to OU-4	2-16
--	------

LIST OF APPENDICES

Appendix A Figures
Appendix B Responsiveness Summary

LIST OF FIGURES

Figure 2-1 Area Location Map
Figure 2-2 Site Map
Figure 2-3 OU-4 Map

1.0 DECLARATION

1.1 SITE NAME AND LOCATION

Operable Unit 4 (OU-4), Landfill No. 3 Area, Ellsworth Air Force Base (EAFB), National Priorities List Site.
Meade and Pennington Counties, South Dakota

1.2 STATEMENT OF BASIS AND PURPOSE

This decision document describes EAFB's selected interim remedial action for OU-4, in accordance with the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), as amended by the Superfund Amendments and Reauthorization Act of 1986 (SARA), and the National Oil and Hazardous Substances Pollution Contingency Plan (NCP).

This decision is based on the contents of the Administrative Record for OU-4, EAFB. The United States Environmental Protection Agency Region VIII (EPA) and the South Dakota Department of Environment and Natural Resources (SDDENR) concur with the selected interim remedial action.

1.3 ASSESSMENT OF THE SITE

Actual or threatened releases of hazardous substances from this OU, if not addressed by implementing the interim remedial action selected in this Record of Decision (ROD), may present an imminent and substantial endangerment to public health, welfare, or the environment.

1.4 DESCRIPTION OF SELECTED REMEDY

Twelve potentially contaminated areas, or OUs, have been identified at EAFB. This ROD is for an interim action at OU-4 and is the second ROD for EAFB. The ROD for the final action for OU-4 will be prepared in April 1996.

The selected interim action remedy for ground-water contamination cleanup at OU-4 consists of:

- ground-water removal using wells,
- treatment of ground-water,
- surface discharge of treatment effluent.

This alternative involves collecting contaminated ground-water using wells located along and south of the Base boundary in the area of the off-Base ground-water contamination. The contaminated ground-water will be transported to a treatment system. The treatment system will consist of gravity separation, air stripping, solids filtration, and use of liquid phase granular activated carbon. Air-stripper off-gases will be treated by thermal oxidation. The liquid effluent from this treatment system will be discharged to a natural drainage. The discharge will be in compliance with the requirements of the Clean Water Act. The drainage leads to a retention pond. The discharge from the pond is regulated under the National Pollution Discharge Elimination System (NPDES) program.

1.5 STATUTORY DETERMINATIONS

This interim action is protective of human health and the environment, complies with action and location-specific Federal and State applicable or relevant and appropriate requirements (ARARs), and is cost effective. However, since this is an interim action, the interim action waiver is being invoked for chemical-specific ARARs. These ARARs will be met in the final cleanup action.

Although this interim action is not intended to fully address the statutory mandate for permanence and treatment to the maximum extent practicable, this interim action does utilize treatment and is in furtherance of that statutory mandate. Because this action does not constitute the final remedy for OU-4, the statutory preference for remedies that employ treatment that reduce toxicity, mobility, or volume as a principle element, although partially addressed in this remedy, will be addressed by the final response action. Subsequent actions are planned to fully address the threats posed by conditions at OU-4.

Because this remedy will result in hazardous substances remaining at the OU above health-based levels, a review will be conducted to ensure that the remedy continues to provide adequate protection of human health and the environment within five years after commencement of the final action. Because this is a ROD for an interim action, review of this OU and of this remedy will be ongoing as the Air Force continues to develop final remedial alternatives for OU-4.

1.6 SIGNATURE AND AGENCY CONCURRENCE ON THE REMEDY

THAD A WOLFE
Lieutenant General, USAF
Vice Commander

Date

ROBERT L. DUPREY, Director
Hazardous Waste Management Division
US Environment Protection Agency Region VII

Date

NETTIE H. MYERS, Secretary
Department of Environment and Natural Resources
State of South Dakota

Date

2.0 DECISION SUMMARY

2.1 SITE NAME AND LOCATION

Ellsworth Air Force Base (EAFB) is a U.S. Air Force Air Combat Command (ACC) installation located 12 miles east of Rapid City, South Dakota, and adjacent to the small community of Box Elder (Figure 2-1). EAFB covers approximately 4,858 acres within Meade and Pennington counties and includes runways and airfield operations, industrial areas, and housing and recreational facilities.

OU-4, which encompasses Landfill No. 3, is a forty-acre site located south of the control tower in the southwest portion of the Base (Figure 2-2).

Open land, containing a few private residences, lies adjacent to EAFB on the north, south, and west. Ranches lie to the north and west of the Base and residential and commercial areas lie to the east of the Base. Residences and ranches lie south of EAFB.

2.2 DESCRIPTION/HISTORY AND REGULATORY OVERSIGHT ACTIVITIES

2.2.1 Description/History

EAFB was officially activated in July 1942 as the Rapid City Army Air Base, a training facility for the B-17 bomber crews. It became a permanent facility in 1948 with the 28th Strategic Reconnaissance Wing as its host unit. Historically, EAFB has been the headquarters of operations for a variety of aircraft, as well as the Titan I Intercontinental Ballistic Missile, and the Minuteman I and Minuteman II missile systems. The Base has provided support, training, maintenance, and/or testing facilities. Presently, the 28th Bombardment Wing (B-1B bombers) and the 99th Tactics and Training Wing are the host units of EAFB.

Landfill No. 3 at OU-4 was operated as a trench-and-fill landfill from 1965 to 1976. Shop wastes (liquids and paints), industrial sewage sludge, waste oils, and miscellaneous refuse were placed in excavated trenches and then subsequently covered with soil. During the mid-1970s, a waste-oil pit was located in the southwest corner of OU-4. It was reported that the contents of approximately one hundred 55-gallon drums, containing waste oil and diesel fuel, were dumped into the waste-oil pits. During 1982 and 1983, OU-4 was also used as a disposal site for contaminated soils from other areas of the Base. Most recently, the southwest corner of OU-4 was used as storage area for asphalt rubble. The asphalt rubble pile was removed in 1993 to allow for the soil and ground-water investigations.

Both humans and livestock have used shallow (14 to 32 feet below grade) ground-water in the areas south and west of OU-4. Although the shallow ground-water contamination has reached only one residential well, as a precautionary procedure the Air Force is supplying several residences near the Base boundary with potable water.

Deeper bedrock aquifers also exist in excess of 1000 feet beneath EAFB. These deeper aquifers are separated from the shallow aquifer by 800 feet of impermeable clays and silts. In the past, EAFB utilized these deeper aquifers directly beneath the Base for its water supply. Presently, EAFB obtains its potable water from the Rapid City Municipal Distribution System. The Rapid City Municipal Distribution System obtains its water from two deep, high-capacity, wells and four surface water intakes along Rapid Creek.

In terms of ecological value, the natural environment at OU-4 has been highly altered by the landfilling activities. Notwithstanding the high level of alterations, habitat features such as grassy and weedy fields are prevalent at the OU. These could be used intermittently by some animal species.

2.2.2 Regulatory Oversight Activities

Environmental investigation activities at EAFB were initiated by the Air Force in 1985 through the preparation of an Installation Restoration Program (IRP) Phase I Installation Assessment/Records Search and Phase II, Confirmation/Quantification. The Phase I study, dated September, 1985, identified a total of 17 locations at EAFB where releases involving hazardous substances potentially occurred.

In Phase II of the IRP investigation, field activities included soil vapor surveys, geophysical surveys, surface and subsurface soil sampling, ground-water sampling, ground-water hydrologic testing, and ecological investigations.

On August 30, 1990 (55 Federal Register 35509), EAFB was listed on the U.S. EPA's National Priorities List (NPL). A Federal Facilities Agreement (FFA) was signed in January 1992 by the Air Force, EPA, and the State and went into effect on April 1, 1992. The FFA establishes a procedural framework and schedule for

developing, implementing, and monitoring appropriate response actions for EAFB in accordance with CERCLA as amended by SARA, and the NCP. It also states the oversight procedures for EPA and the State to ensure Air Force compliance with the FFA requirements. The FFA identified 11 potential source-area operable units as well as a Base-wide ground-water operable unit.

Listing on the NPL and execution of the FFA required the U.S. Air Force to perform a remedial investigation/feasibility study (RI/FS) to investigate these 12 operable units. In 1993 and 1994, an extensive RI field program was conducted to characterize site conditions at OU-4. The program included completion of boreholes, installation of monitoring wells, geotechnical analysis of soil samples, ecological investigations, assessment of human health risks, and review and compilation of previous IRP investigations. Collection and laboratory analysis of soil, ground-water, surface-water, and sediment samples were included in the RI field program.

2.3 HIGHLIGHTS OF COMMUNITY PARTICIPATION

Community relations activities that have taken place at EAFB to date include:

- FFA process. After preparation of the FFA by the USAF, EPA, and SDDENR, the document was published for comment.
- Administrative Record. An Administrative Record for information was established in Building 8203 at EAFB. This repository contains information used to support USAF decision-making.
- Information repositories. An administrative Record outline is located at the Rapid City Library (public repository).
- Community Relations Plan (CRP). A Community Relations Plan was prepared and has been accepted by the EPA and State and is currently being carried out. An update to this plan will be prepared in 1995.
- Restoration Advisory Board (RAB). The RAB has been formed to facilitate public involvement in the cleanup and meets quarterly. In addition to USAF, EPA, and South Dakota oversight personnel, the RAB includes community leaders and local representatives from the surrounding area.
- Mailing list. A mailing list of all interested parties in the community is maintained by the Base and updated regularly.
- Fact sheets. A fact sheet describing the status of the IRP at the Base was distributed to the mailing list addressees in 1992.
- Open house. An informational meeting on the status of the IRP and other environmental efforts at the Base was held on May 6, 1993.
- Newspaper articles. Articles have been written for the Base newspaper regarding IRP activity.
- Proposed Plan. The proposed plan on this action was distributed to the mailing list addressees for their comments.

A public comment period was held from March 25 to April 24, 1995, and a public meeting was held on April 18, 1995. At this meeting representatives from EAFB answered questions about the interim action. A response to the comments received during this period is included in the Responsiveness Summary, which is part of this ROD.

This ROD is based on the contents of the Administrative Record for OU-4, in accordance with the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), as amended by the Superfund Amendments and Reauthorization Act of 1986 (SARA), and to the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The remedial investigation and focused feasibility study reports and the Proposed Plan for OU-4 provide detailed information about the OU and interim action. These documents are available at the Information Repositories at EAFB and the Rapid City Public Library.

2.4 SCOPE AND ROLE OF RESPONSE ACTION

The FFA identified 11 potential source area operable units (OUs) as well as a Base-wide ground-water operable unit. The 12 operable units are identified as follows:

OU-1	Fire Protection Training Area
OU-2	Landfills Nos. 1 and 6
OU-3	Landfill No. 2
OU-4	Landfill No. 3
OU-5	Landfill No. 4
OU-6	Landfill No. 5
OU-7	Weapons Storage Area
OU-8	Explosive Ordnance Disposal Area (Pramitol Spill)
OU-9	Old Auto Hobby Shop Area
OU-10	North Hangar Complex
OU-11	Base-wide Ground-water
OU-12	Hardfill No. 1

This ROD is for an interim remedial action (IRA) at OU-4 and is the second ROD for EAFB. The scope of the IRA is to reduce the immediate risks posed by the contaminants in ground-water by preventing further transport off-Base and by removing contaminated ground-water which is already off-Base. The IRA includes construction of ground-water wells downgradient of Landfill 3 and wells near the Base property boundary. These wells will be operated to contain the contamination. In addition, the wells will be constructed in the most highly contaminated areas of the off-Base plume and operated to contain and remove this area of off-Base ground-water contamination. Implementation of the IRA will result in partial restoration of the shallow ground-water downgradient of Landfill 3.

This action is not the final action for OU-4; the ROD for the final action is due in April 1996. Additional remedies will be implemented at OU-4 during the final action to clean up the remaining contaminated media. The IRA will be consistent with any future actions.

2.5 SITE CHARACTERISTICS

This section describes the nature and extent of contamination at OU-4 as a result of past activities conducted at the OU.

2.5.1 Soils

Surface and subsurface soil samples obtained during the RI field program indicated the presence of contamination consisting of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), and pesticides within the Base boundary. The southern portion of the landfill is a likely source of significant JP-4 jet fuel contamination and benzene, toluene, ethylbenzene, and xylene (BTEX) contamination. VOCs and pesticides are also present at relatively low concentrations in the subsurface soil beyond the Base boundary in areas corresponding to the ground-water contamination.

2.5.2 Ground-water

Shallow ground-water at OU-4 flows in the southern direction. An 800 feet thick layer of impermeable clays and silts exists beneath the shallow aquifer and limits the shallow aquifer from infiltrating to the deeper ground-water aquifers. These deeper aquifers were not affected by contaminants at OU-4.

Past practices at OU-4 have resulted in the contamination of the shallow aquifer. The shallow ground-water contamination at OU-4 extends approximately 150 feet south of the Base boundary. VOC contaminants such as benzene, trichloroethene (TCE), 1,1-dichloroethylene (1,1-DCE) and 1,2-dichloroethane (1,2-DCA) exist in the ground-water at or above established Safe Drinking Water Act Maximum Contaminant Levels (MCLs) at OU-4. The area of ground-water contamination is illustrated in Figure 2-3.

Dense non-aqueous-phase liquids (DNAPLs) and light non-aqueous phase liquids (LNAPLs) are not present in OU-4 ground-water.

2.6 OU-4 RISK SUMMARY

Human Health Risks

The assessment of human health risks for this OU considered the following topics:

- (1) Contaminants of concern (COCs) in ground-water, surface water, sediment, and soil samples taken at OU-4;
- (2) Current and future land-use conditions;

- (3) Potential environmental pathways by which populations might be exposed;
- (4) Estimated exposure point concentrations of COCs;
- (5) Estimated intake levels of the COCs;
- (6) Toxicity of the COCs; and,
- (7) Uncertainties in the assessments of exposure, toxicity, and general risks.

Noncarcinogenic and carcinogenic risks were calculated for the following five potential exposure groups:

- (1) Current Base maintenance personnel;
- (2) Current off-Base residents using shallow ground-water for drinking and showering;
- (3) The future resident living on-Base who plays/walks on surface soil, ingests and showers with shallow ground-water;
- (4) Future adult construction workers who excavate on-site for building residences and;
- (5) Future off-Base residential adults who ingest and shower with off-Base shallow ground water.

Noncarcinogenic Risks

On-Base: There is one exposure pathway at OU-4, ingestion of shallow ground-water by a future resident, for which noncarcinogenic risks were estimated greater than acceptable levels. This is a result of the cumulative risk associated with a variety of contaminants.

Off-Base: There were no noncarcinogenic risks for individual exposure pathways at OU-4 that were estimated in excess of acceptable levels.

Carcinogenic Risks

Carcinogenic risks were estimated as the incremental probability of an individual developing cancer over a lifetime as a result of exposure to a potential carcinogen. The acceptable risk level expressed as a probability is one cancer incident in a million people. This level of risk is also denoted by 1×10^{-6} . Risks at or below this level cannot be differentiated from the background occurrence of cancer in the population. Risks calculated in a risk assessment are potential risks and are excess (i.e., over background) cancer risks due to exposure from contaminants at the OU.

Carcinogenic risks for the exposure groups are summarized as follows:

On-Base: Potentially unacceptable carcinogenic risks were estimated for future residential land use. Both the soil and ground-water contamination at OU-4 contribute to the unacceptable cancer risk.

Off-Base: Potentially unacceptable risks were only associated with future residential land use. The unacceptable risk off-Base is primarily due to the contamination in the ground-water.

Ecological Risks

An ecological risk evaluation of OU-4 was based on a combination of data and literature reviews, field and laboratory analyses, analyte evaluation and screening, and preliminary risk screening. The pertinent findings are summarized below.

A variety of animal species may live, forage, or nest in OU-4 habitats. These range from invertebrates, small mammals, and reptiles living close to the soil to wide-ranging birds and larger mammals. Because of the altered natural environment of the OU, rare, threatened, or endangered species are unlikely to utilize OU-4.

Terrestrial vegetation and soil faunal communities do not reveal characteristics that indicate chemical-related impacts. This finding is consistent with the relatively low levels and limited distribution of high levels of contaminant concentrations in the soil.

Because initial findings of the RI indicate that the contaminants at OU-4 are not altering the ecology to noticeable levels, specific ecological risk assessment was not conducted. A Base-wide Ecological Risk Assessment will be conducted as part of OU-11, and OU-4 will be included in this Base-wide evaluation.

Interim Action Risk Reduction

The interim action will reduce risks associated with potential future uses of the ground-water by preventing further spread of contaminated ground-water. This will prevent an increase in the amount of contaminated ground-water. Removing ground-water along the Base boundary will prevent the flow of contamination off the Base. Off-Base ground-water removal will prevent the further spread of the contaminants from the areas containing the highest levels of contamination. Removal and treatment of contaminated ground-water will result in reduced concentrations of contaminants in that area. This partial restoration of the portion of the contaminated ground-water will reduce potential future risks.

Subsequent actions are planned to fully address the threats posed by contaminants at OU-4. Because this remedy will result in hazardous substances remaining at OU-4 above health-based levels, a review will be conducted to ensure that the remedy continues to provide adequate protection of human health and the environment within five years after commencement of the final action. Because this is a ROD for an interim action, review of this OU and of this remedy will be ongoing as the Air Force continues to develop final remedial alternatives for OU-4.

2.7 DESCRIPTION OF ALTERNATIVES

Alternative 1

No Action

The no action alternative represents the baseline condition at OU-4 and refers to taking no further action until the final remedy is selected for OU-4.

Alternative 2 consists of:

- ground-water removal using wells,
- treatment of ground-water,
- surface discharge of treatment effluent.

Ground-Water Removal

The ground-water wells will be located along the eastern half of the southern landfill boundary and off-Base in the southwest and central area of the ground-water contamination. The number and placement of wells will be evaluated during the design. The ground-water wells will collect and remove (1) contaminated ground-water that is about to move off-Base and (2) the most highly contaminated ground-water off-Base.

Treatment

The contaminated ground-water removed by the wells will be treated at a centrally located treatment plant. Water treatment will consist of gravity separation, air stripping, solids filtration, and use of liquid phase granular activated carbon. Air-stripper off-gases will be treated using a thermal-oxidation unit.

Discharge of Treatment Effluent

The liquid effluent from the treatment system will be discharged into a natural drainage, which flows into a retention pond (Pond 001). The effluent will be monitored prior to discharge to determine the effectiveness of the treatment system. Effluent discharge standards and monitoring requirements will be determined during the design phase of the IRA and are subject to State and EPA reviews and approvals. The discharge will comply with the requirements of the Clean Water Act. Pond 001 effluent is regulated under the conditions of a National Pollutant Discharge Permit Elimination System (NPDES) permit (SD-0000281). Off-gases from the thermal oxidizer will be monitored to ensure compliance with Federal, State, and local requirements under the provisions of the Clean Air Act.

2.8 SUMMARY OF COMPARATIVE ANALYSIS OF ALTERNATIVES

The NCP includes nine criteria that the alternatives must be evaluated against. In the following sections, the alternatives are evaluated against each of these criteria and then against each other to determine the preferred alternative.

2.8.1 Overall Protection of Human Health and the Environment

Alternative 1 (no action) does nothing to reduce threats and potential threats to human health and the environment until the final remedy(ies) are selected and implemented.

Alternative 2 (ground-water removal and treatment): Ground-water removal and treatment will result in a permanent reduction in ground-water contamination. Even though the objective of this remedy is containment, some restoration of the ground-water may occur. On-Base contamination will be prevented from crossing the Base boundary. The ground-water off-Base which contains the highest contaminant concentrations will be contained and removed. As a result, the potential risk to human health will be reduced. During the installation of the interim remedy, the RI/FS will continue to address the remaining contamination and risk at the OU.

2.8.2 Compliance with ARARs

Applicable requirements include cleanup standards, standards of control and other substantive environmental protection requirements, criteria or limitations promulgated under federal or state laws that specifically address a hazardous substance, pollutant, contaminant, remedial action, location or other circumstances at a CERCLA site. Relevant and appropriate requirements address problems or situations sufficiently similar to those encountered at a CERCLA site that their use is well suited to the environmental and technical factors at a particular site. ARARs are grouped into these three categories:

- Chemical-Specific ARARs are health or risk-based numerical values or methodologies which, when applied to site-specific conditions, result in establishment of the amount or concentration that may be found in, or discharged to, the environment.
- Location-Specific ARARs restrict the concentration of hazardous substances or the conduct of activities solely because they are in specific locations such as flood plains, wetlands, historic places, and sensitive ecosystems or habitats.
- Action-Specific ARARs are usually technology or activity-based requirements or limitations on actions taken with respect to hazardous wastes.

Alternative 1 (no action):

There are no ARARs under this alternative since no activity would occur.

Alternative 2 (ground-water removal and treatment):

The analysis of ARARs in this document has been limited to the scope of the interim action. Other ARARs may apply to final remedies. A summary evaluation of Federal and State ARARs pertinent to this interim action is provided in Table 2-1 at the end of this section.

This alternative provides a preliminary step toward achieving chemical-specific ARARs for the shallow ground-water downgradient of the landfill. The interim action waiver is being invoked for the chemical-specific ARARs in ground-water. The scope of the interim action is to prevent further transport of contaminants and to quickly achieve significant risk reduction. Restoration of ground-water to beneficial use will be addressed in the final remedy. Ground-water monitoring at OU-4 will be conducted during implementation of the IRA to determine the progress and effectiveness of the IRA.

Location Specific ARARs:

National Historic Preservation Act (NHPA) of 1966 (16 USC 470 et. seq) - Section 110 requires that any restoration activities will not affect the historical characteristics of the property. The building which will house the treatment system is a historical building. All external building renovations will be conducted to conform with the historical qualities of the building, thereby complying with Section 110 of the Act.

Action Specific ARARs:

Clean Water Act (CWA) - The CWA requires the establishment of guidelines and standards to control the direct or indirect discharge of pollutants to waters of the U.S. Effluent limitations developed for the contaminants will be applied to this point source discharge of the treated ground water. The standards of control for direct discharges are derived from Title III of the CWA. CWA Section 301(b) requires all direct dischargers to meet technology-based requirements. These requirements include application of best available technology economically achievable (BAT). The numerical effluent discharge limits are derived by applying the levels of performance of the treatment technology to the wastewater discharge. The CWA Section 303(b)(1)(C) requires that pollutants contained in direct discharges be controlled beyond BCT equivalents when necessary to meet applicable water-quality standards set by the State. The State water-quality standards are based on Federal water quality criteria. To comply with this ARAR, BAT (air stripping and carbon absorption) will be used and effluent limits will be determined during the remedial design and subject to State and Federal

review and approvals. The limits will be based on BAT performance and water quality standards and criteria. All residuals from the treatment system will be disposed of according to State and Federal waste disposal requirements.

Clean Air Act (CAA) - The air emissions from the treatment system will comply with the substantive permitting process requirements for a minor source under Titles I and V of the CAA. Conditions will be placed on the emissions to prevent the source from becoming a major source or major modification. Use of thermal treatment will be provided as needed to ensure compliance.

Resource Conservation and Recovery Act - RCRA Regulations Applicable to Control Devices Required by the Organic Air Emission Standards (40 CFR Parts 264 and 265 subparts AA and BB). These subparts, being relevant and appropriate to this action, apply to process vents and equipment leaks associated with air stripping operations that manage hazardous wastes with organic concentrations of at least 10 parts per million by weight.

2.8.3 Long-Term Effectiveness and Permanence

Alternative 1 delays any action until the final remedy is selected and is unlikely to provide long-term effectiveness and permanence. Contamination will move farther outward into the ground-water, increasing the volume of contaminated materials and the subsequent cost of remedial actions.

Although Alternative 2 is an interim action, it will permanently remove and destroy much of the contamination in the ground-water at the OU. In addition, removing ground-water along the Base boundary will prevent further downgradient movement of contaminants from the landfill area while the final remedy for the OU is evaluated.

Due to uncertainties in the hydrogeological characteristics of the shallow aquifer, the interim action is only focusing on containment of the ground-water contamination. Information provided by the system operation will be used to evaluate potential long-term effectiveness and permanence of the interim remedy and to provide information for development of the alternatives for the final remedy.

2.8.4 Reduction of Toxicity, Mobility, and Volume Through Treatment

Alternative 1 delays reduction of toxicity, mobility, and volume since no treatment would take place. Contaminants will continue to move farther into the environment, resulting in a greater volume of contaminated materials.

Alternative 2 utilizes established treatment technologies to reduce the risks posed by the contaminants in ground-water immediately downgradient of the landfill and in the area of off-Base ground-water contamination.

Contaminant concentrations in the ground-water will also be permanently reduced through collection and treatment ground-water. VOCs in the removed ground-water will be partitioned to the air phase and thermally destroyed. Other organic contaminants will be removed from the air phase by carbon absorption. The carbon absorbent material will be periodically disposed or reactivated. No residuals from the treatment will remain on the OU.

2.8.5 Short-Term Effectiveness

Alternative 1 will not pose any addition risks associated with the OU to human health or the environment. Delay of action allows for contaminants to move farther, offering a long term concern and no reduction in risk.

Alternative 2 will be designed to protect the community and workers during remedial actions. Worker protection will be consistent with the OSHA requirements in 29 CFR 1910.120 and the site Health and Safety Plan and Contingency Plan during construction and operation.

The air will be monitored during the construction of the ground-water wells to determine that safe ambient VOC concentrations in the air are not exceeded. Soil removed during construction of the wells will be handled according to the procedures outlined in Investigation Derived Waste Evaluation and Disposal. No adverse environmental impacts are expected from implementation of Alternative 2. Ground-water monitoring will be conducted to assess the effectiveness of the alternative in reducing contaminant concentrations in shallow ground-water downgradient of the landfill.

2.8.6 Implementability

Alternative 1 offers no implementability concerns since no action will take place.

Alternative 2 will utilize proven "off-the-shelf" technology and standard construction methods. Adequate construction equipment and services are available. The equipment for on-site treatment is commercially available.

Access to the OU is available through existing roadways and the topography will not impede access for the construction and drilling equipment. Road construction will be limited to that needed to install the treatment facilities and provide access for system monitoring and maintenance. Activities are underway to obtain construction, operation and maintenance easements for off-Base property.

Uncertainties associated with this operation involve methods to maximize the effectiveness of ground-water removal. Changes in pumping rates, alternating operating wells and/or sporadic pumping may be necessary to determine the most effective removal methods.

The action is administratively feasible. Discharge of the treated water will comply with substantive State and Federal requirements. Amendment of the existing NPDES permit for the Pond 001 outfall may be necessary. During the remedial design phases of the IRA, discharge effluent limits for the treated ground-water will be determined. Monitoring of the treated water will be conducted to insure compliance with Federal and State discharge requirements. Also, discharge of treated air from the thermal oxidizer system will be monitored at the thermal oxidizer stack to ensure compliance with substantive Federal and State air quality requirements.

2.8.7 Cost

Alternative 1 does not result in any cost for design or implementation. The cost for quarterly monitoring (operation and maintenance) is \$8,250 per quarter for a present worth cost of \$31,000. Alternative 2 is estimated to cost \$1,316,000 in capital cost and \$686,000 per year to operate. The operation cost represents the total operation and maintenance cost associated with the treatment facility which will be used for actions at other locations. Assuming a one year operational life until the full scale remedy(ies) is/are enacted, the present worth cost is estimated to be \$1.9 million. The cost presented above are the total costs for the treatment facility. These costs will be allocated among concurrent interim actions at other locations.

2.8.8 State Acceptance

The State concurs with the selected remedy. The State provided comments on the remedial investigation, focused feasibility study, Proposed Plan, and this ROD. After incorporating adequate responses to the comments into the respective documents, the State concurred with the remedy.

2.8.9 Community Acceptance

Comments offered by the public were used to assess the community acceptance of the proposed alternative. The community expressed their concerns about the selected interim remedy during the public comment period. The questions and concerns of the community are discussed in detail in the Responsiveness Summary which is Appendix B of this ROD

2.9 SELECTED ALTERNATIVE

Based on the requirements of CERCLA, comparative analysis of the nine criteria, public comments, and in consultation with EPA and SDDENR, the Air Force has determined that Alternative 2 (ground-water removal and treatment) is the most appropriate alternative for the interim action. The major components of Alternative 2 are:

- ground-water removal using wells,
- treatment of ground-water, and
- surface discharge of treatment effluent.

This alternative will prevent further transport of contaminants off the Base and contain portions of the off-Base ground-water contamination.

The removed ground-water will contain contaminants such as VOCs, SVOCs, and hydrocarbons and will be treated. The treatment will consist of gravity separation, air stripping, solids filtration, and use of liquid phase granular activated carbon. Air-stripper off-gases will be treated with a thermal-oxidation unit. The liquid treatment effluent will be discharged to a natural surface water drainage. The drainage leads to a retention

pond (Pond 001). The discharge from Pond 001 is regulated under an NPDES permit (SD-0000281).

Remediation Goals

This alternative will reduce contaminant concentrations in portions of OU-4 ground-water, control the transport of contamination beyond the Base boundary, thereby reducing the risks associated with those contaminants. Restoration is not the objective of the interim action. Contaminants will be contained during the interim action to allow for easier implementation of the final remedial action.

2.10 STATUTORY DETERMINATIONS

The selected remedy meets the statutory requirements of CERCLA as amended by SARA. These requirements include protection of human health and the environment, compliance with ARARs, cost effectiveness, utilization of permanent solutions and alternative treatment technologies to the extent practicable, and preference for treatment as a principle element. The interim action is not designed or expected to be the final cleanup action, but the selected interim remedy represents the best balance of tradeoffs among the alternatives considered, with respect to pertinent criteria, given the limited scope of the action.

The manner in which the selected interim remedy meets each of these requirements is discussed in the sections below. The statutory determinations for the final cleanup remedy for OU-4 will be provided in the ROD for the final cleanup action, which will be prepared following this interim action.

2.10.1 Protection of Human Health and the Environment

The selected interim remedy provides for removal and treatment of contaminated ground-water. This will reduce potential risks to human health and retard future transport of contaminants from OU-4.

2.10.2 Compliance with ARARs

This alternative provides a preliminary step toward achieving chemical-specific ARARs for the shallow ground-water downgradient of the landfill. The interim-action waiver is being invoked for the chemical-specific ground-water ARARs. The scope of the interim action is to prevent further transport of contaminants and to quickly achieve significant risk reduction. Restoration of groundwater to beneficial use will be addressed in the final remedy. Ground-water monitoring at OU-4 will be conducted during implementation of the IRA to determine the progress and effectiveness of the IRA.

Location Specific ARARs:

National Historic Preservation Act (NHPA) of 1966 (16 USC 470 et. seq) - Section 110 requires that any restoration activities will not affect the historical characteristics of the property. The building which will house the treatment system is a historical building. All external building renovations will be conducted to conform with the historical qualities of the building, thereby complying with Section 110 of the Act.

Action Specific ARARs:

Clean Water Act (CWA) - The CWA requires the establishment of guidelines and standards to control the direct or indirect discharge of pollutants to waters of the U.S. Effluent limitations developed for the contaminants will be applied to this point source discharge of the treated ground water. The standards of control for direct discharges are derived from Title III of the CWA. CWA Section 301(b) requires all direct dischargers to meet technology-based requirements. These requirements include application of best available technology economically achievable (BAT). The numerical effluent discharge limits are derived by applying the levels of performance of the treatment technology to the wastewater discharge. The CWA Section 303(b)(1)(C) requires that pollutants contained in direct discharges be controlled beyond BCT equivalents when necessary to meet applicable water-quality standards set by the State. The State water-quality standards are based on Federal water quality criteria. To comply with this ARAR, BAT (air stripping and carbon absorption) will be used and effluent limits will be determined during the remedial design and subject to State and Federal review and approvals. The limits will be based on BAT performance and water quality standards and criteria. All residuals from the treatment system will be disposed of according to State and Federal waste disposal requirements.

Clean Air Act (CAA) - The air emissions from the treatment system will comply with the substantive permitting process requirements for a minor source under Titles I and V of the CAA. Conditions will be placed on the emissions to prevent the source from becoming a major source or major modification. Use of thermal treatment will be provided as needed to ensure compliance.

Resource Conservation and Recovery Act - RCRA Regulations Applicable to Control Devices Required by the Organic Air Emission Standards (40 CFR Parts 264 and 265 subparts AA and BB). These subparts, being relevant and appropriate to this action, apply to process vents and equipment leaks associated with air stripping operations that manage hazardous wastes with organic concentrations of at least 10 parts per million by weight.

2.10.3 Cost Effectiveness

The selected remedy will permanently remove much of the contamination from portions of the ground-water and reduce future costs associated with the final cleanup remedy(ies) selected for OU-4. This alternative is cost effective because with a net present worth cost for one year of operation of the alternative of \$1.9 million, a large quantity of contamination will be removed from the subsurface. This alternative will also allow for easier implementation of the final remedial action.

2.10.4 Utilization of Permanent Solutions and Alternative Treatment Technologies to the Extent Possible

Since this is an interim action, the selected remedy is not designed or expected to be final. The selected remedy utilizes an established treatment technology to address the principal threats posed by contaminants in shallow ground-water downgradient of the source area and will reduce the amount and mobility of contaminants present at OU-4.

2.10.5 Preference for Treatment as a Principal Element

VOCs in the removed ground-water will be partitioned to the air phase and thermally destroyed. Other organic contaminants will be removed by carbon absorption. The preference for treatment as a principal element has been satisfied.

2.11 DOCUMENTATION OF SIGNIFICANT CHANGES

The selected interim action is the same as the preferred alternative presented in the Proposed Plan for interim action. There have been no changes relative to the Proposed Plan.

TABLE 2-1 EVALUATION OF FEDERAL AND STATE ARARS THAT MAY APPLY TO OU-4, ELLSWORTH AFB, SOUTH DAKOTA

Potentially Applicable or Relevant and Appropriate Federal Standards, Requirements, Criteria and Limitations

Standard, Requirement, Criteria or Limitation	Citations	Description	ARAR Type	Applicability
Safe Drinking Water Act	42 USC 300, f, g			
National Primary Drinking Water Standards	40 CFR Part 141	Establishes health based standards for public water systems (maximum contaminant levels)	Chemical	Relevant and appropriate for federal Class II aquifers.
National Secondary Drinking Water Standards	40 CFR Part 143	Establishes aesthetic based standards for public water systems (maximum contaminant levels)	Chemical	Relevant and appropriate.
Maximum Contaminant Level Goals	Public Law No. 99-330, 100 Stat. 642 (1986)	Establishes drinking water quality goals set at concentrations of unknown or anticipated adverse health effects with an adequate margin of safety	Chemical	Relevant and appropriate.
Clean Water Act	33 USC 1251-1376			
Water Quality Criteria	40 CFR Part 131	Establishes criteria for water quality based on toxicity to aquatic organisms and human health	Chemical	Relevant and appropriate. Aquifer may be a federal Class II A (discharge to surface water)
Criteria and Standards for the National Pollutant Discharge Elimination System	40 CFR Part 125	Establishes criteria and standards for technology-based requirements in permits under the Clean Water Act	Chemical	Applicable; potential discharge stream or to EAFB WWTP.
General Pretreatment Regulations for Existing and New Sources of Pollution	40 CFR Part 403	Establishes responsibilities of federal, state and local government and of the POTW in providing guidelines for and developing, submitting, approving and modifying state pretreatment programs. Specifies standards for pretreatment	Action	Applicable; potential discharge to EAFB WWTP.
Guidelines Establishing Test Procedures for Analyses of Pollutants	40 CFR Part 136	Specifies analytical procedures for NPDES applications and reports	Action	Applicable because of treatment and discharge of ground-water.

TABLE 2-1 EVALUATION OF FEDERAL AND STATE ARARS THAT MAY APPLY TO OU-4, ELLSWORTH AFB, SOUTH DAKOTA (Continued)

Potentially Applicable or Relevant and Appropriate Federal Standards, Requirements, Criteria and Limitations

Standard, Requirement, Criteria or Limitation	Citations	Description	ARAR Type	Applicability
Clean Air Act	(see below)			
National Primary and Secondary Ambient Air Quality Standards	40 CFR Part 50	Establishes standards for ambient air quality to protect public health and welfare	Action	Applicable.
National Emission Standards for Hazardous Air Pollutants	40 CFR Part 61	Establishes regulatory standards for specific air pollutants	Action	Applicable. Alternative would require discharge to air following treatment.
Resource Conservation and Recovery Act	(see below)			
Land Disposal Restrictions	40 CFR Part 268	Identifies hazardous wastes that are restricted from land disposal and defines limited circumstances when a prohibited waste may continue to be land disposed	Action	Relevant and appropriate. Alternative may include disposal of residual waste due to treatment
Hazardous Waste Management System: General	40 CFR Part 260	Establishes definitions, procedures and criteria for modification of any provision in 40 CFR Parts 260-265	Action	Applicable.
Identification and Listing of Hazardous Wastes	40 CFR Part 261	Defines those solid wastes which are subject to regulation as hazardous wastes under 40 CFR Parts 262-265	Action	Applicable.

TABLE 2-1 EVALUATION OF FEDERAL AND STATE ARARS THAT MAY APPLY TO OU-4, ELLSWORTH AFB, SOUTH DAKOTA (Continued)

Potentially Applicable or Relevant and Appropriate Federal Standards, Requirements, Criteria and Limitations

Standard, Requirement, Criteria or Limitation	Citations	Description	ARAR Type	Applicability
Standards Applicable to Generators of Hazardous Wastes	40 CFR Part 262	Establishes standards for generators of hazardous waste	Action	Applicable.
Standards Applicable to Transporters of Hazardous Wastes	40 CFR Part 263	Establishes standards which apply to persons transporting hazardous waste within the U.S. if the transportation requires a manifest under 40 CFR Part 262	Action	Applicable.
Toxic Substances Control Act	40 CFR Part 761	Substances regulated include, but are not limited to, soils and other materials contaminated as a result of spills	Action	Applicable.
Archaeological and Historic Preservation Act	16 USC 469 40 CFR Part 6.301(c)	Establishes procedures to provide for preservation of historical and archaeological data which might be destroyed through alteration of terrain as a result of a federal construction project for a federal licensed activity or program	Location	Potential ARAR. No known historic or archaeological value. Confirmation study has not been performed.
National Historic Preservation Act	16 USC 470	Addresses preservation of historic resources and development of preservation programs.	Location	Applicable.
Executive Order on Protection of Wetlands	E.O. No. 11,990 40 CFR 6.302(a) & Appendix A	Requires federal agencies to avoid, to the extent possible, the adverse impacts associated with the destruction or loss of wetlands and to avoid support of new construction in wetlands if a practicable alternative exists	Action/Location	Potential ARAR.

TABLE 2-1 EVALUATION OF FEDERAL AND STATE ARARS THAT MAY APPLY TO OU-4, ELLSWORTH AFB, SOUTH DAKOTA (Continued)

Potentially Applicable or Relevant and Appropriate State Standards, Requirements, Criteria and Limitations

Standard, Requirement, Criteria or Limitation	Citations	Description	ARAR Type	Applicability
South Dakota Air Pollution Control Regulations	74:26:01:09, 24-28	Establishes permit requirements for construction, amendment and operation of air discharge services	Action	Applicable.
South Dakota Water Discharge Permit Rules	74:03:18:01-17	Establishes surface water discharge permit application requirements	Action	Applicable.
South Dakota Water Discharge Permit Rules	74:03:19:01-08	Establishes surface water permit conditions	Action	Applicable.
South Dakota Water Discharge Permit Rules	74:03:01	Establishes requirements for individual and small on-site wastewater systems	Action	Applicable.
South Dakota Water Quality Standards	74:03:04:02, 10	Defines use of Box Elder Creek and certain tributaries	Action	Relevant and appropriate.
South Dakota Surface Water Quality Standards	74:03:02	Establishes surface water quality standards	Action	Applicable.
South Dakota Ground-Water Standards	74:03:15	Defines ground-water classifications by beneficial use and sets chemical standards	Chemical	Relevant and appropriate.

3.0 LIST OF ACRONYMS AND ABBREVIATIONS

ACC:	Air Combat Command
AF:	Air Force
AFB:	Air Force Base
ARARS:	Applicable or Relevant and Appropriate Requirements
CERCLA:	Comprehensive Environmental Response, Compensation and Liability Act
COC:	Chemicals of Concern
DNAPL:	Dense non-aqueous phase liquid
EAFB:	Ellsworth Air Force Base
EP:	Extraction Procedure, the EPA's standard laboratory procedure for leachate generation.
EPA:	Environmental Protection Agency
FFA:	Federal Facilities Agreement
FPTA:	Fire Protection Training Area
FTA:	Fire Training Area
GPR:	Ground Penetrating Radar
HQ:	Headquarters
IN SITU:	In the original place.
IRIS:	Integrated Risk Information System
IRP:	Installation Restoration Program
JP-4:	Jet Propulsion Fuel Number Four; contains both kerosene and gasoline fractions.
LNAPL:	Light Non-Aqueous Phase Liquid
MCL:	Maximum Contaminant Levels
mgd:	Million Gallons per Day
µg/l:	Micrograms per liter
mg/l:	Milligrams per liter
MSL:	Mean Sea Level
NAPL:	Non Aqueous Phase Liquid
NCP:	National Oil and Hazardous Substances Contingency Plan
NEPA:	National Environmental Policy Act
NPDES:	National Pollutant Discharge Elimination System
NPDWR:	National Primary Drinking Water Regulations
NPL:	National Priorities List
OU:	Operable Unit
O&G:	Symbols for oil and grease
PAH:	Polynuclear Aromatic Hydrocarbon
PCB:	Polychlorinated Biphenyl; liquids used as a dielectrics in electrical equipment
PCE:	Perchloroethylene; liquids used in degreasing or paint removal.
PL:	Public Law
ppm:	Parts per million by weight
RCRA:	Resource Conservation and Recovery Act
RI/FS:	Remedial Investigation/Feasibility Study
SARA:	Superfund Amendments and Reauthorization Act
SACM:	Superfund Accelerated Cleanup Model
SVOC:	Semivolatile Organic Compound
TCA:	1,1,1,-Tetrachloroethane
TCE:	Trichloroethylene
TCL:	Target Compound List
TCLP:	Toxicity Characteristic Leaching Procedure
TDS:	Total Dissolved Solids
TOC:	Total Organic Carbon
TSD:	Treatment, storage or disposal sites/methods
USAF:	United States Air Force
USEPA:	United States Environmental Protection Agency
USDA:	United States Department of Agriculture
USFWS:	United States Fish and Wildlife Service
USGS:	United States Geological Survey
VES:	Vertical Electrical Sounding
VOC:	Volatile Organic Compound
WQC:	Water Quality Criteria
WWTP:	Wastewater Treatment Plant

APPENDIX A

FIGURES

APPENDIX B

RESPONSIVENESS SUMMARY

Responsiveness Summary Interim Actions at Operable Units One and Four Ellsworth Air Force Base, South Dakota

1. Overview

Ellsworth Air Force Base (EAFB), with the approval of the U.S. EPA and State of South Dakota Department of Environment and Natural Resources (SDDENR), held one Public Meeting to cover both of the interim action Proposed Plans for Operable Units (OUS) 1 and 4. This procedure was agreed upon due to the similarities of the two actions and the use of one treatment plant for cleaning up the ground water. As a result, the comments received at the Public Meeting are, for the most part, related to both OUs. Rather than attempt to separate these comments and answers by OU, identical Responsiveness Summaries were used for each ROD.

The public has reviewed the Proposed Plans and the interim remedial actions and is in general support of implementing the interim actions.

The Responsiveness Summary provides a summary of comments and questions received from the community at the public meeting and during the public comment period as well as the United States Air Force's (USAF) responses to public comments.

The Responsiveness Summary is organized into the following sections:

- Background on Community Involvement
- Summary of Comments and Questions Received During the Public Comment Period and USAF Responses
- Remaining Concerns

2. Background on Community Involvement

On August 30, 1990 EAFB was listed on the USEPA's National Priorities List (NPL). A Federal Facilities Agreement (FFA) was signed in January 1992 by the Air Force, EPA, and the State and went into effect on April 1, 1992. The FFA establishes a procedural framework and schedule for developing, implementing, and monitoring appropriate response actions for EAFB.

Community relations activities that have taken place at EAFB to date include:

- FFA process. After preparation of the FFA by the USAF, EPA, and SDDENR, the document was published for comment.
- Administrative Record. An Administrative Record for information was established in Building 8203 at EAFB. This repository contains information used to support USAF decision-making.
- Information repositories. An administrative Record outline is located at the Rapid City Library (public repository).
- Community Relations Plan (CRP). The draft final CRP was submitted on October 26, 1992 to the EPA and the State of South Dakota. The EPA and State have approved the CRP. An update to this plan will be prepared in 1995.
- Restoration Advisory Board (RAB). The RAB has been formed to facilitate public involvement in the cleanup and has meetings quarterly. In addition to USAF, EPA, and South Dakota oversight personnel, the RAB includes community leaders and local representatives from the surrounding area.
- Mailing list. A mailing list of all interested parties in the community is maintained by the Base and updated regularly.
- Fact sheets. A fact sheet describing the status of the IRP at the Base was distributed to the mailing list addressees in 1992.

- Open house. An informational meeting on the status of the IRP and other environmental efforts at the Base was held on May 6, 1993.
- Newspaper articles. Articles have been written for the Base newspaper regarding IRP activity.
- Proposed Plan. The proposed plan on this action was distributed to the mailing list addressees for their comments.

The Proposed Plans for these interim actions were distributed to the mailing list addressees for their comments and additional copies of the Proposed Plans were available at the April 18, 1995 public meeting. A transcript of comments, questions and responses provided during the public meeting was prepared.

The USAF established a public comment period from March 25, 1995 to April 24, 1995 for interested parties to review and comment on interim cleanup alternatives considered and described in the Proposed Plans for OU-1 and OU-4. The Proposed Plans were prepared by the USAF in cooperation with the EPA and SDDENR.

The USAF also held a public meeting at 8:00 p.m on April 18, 1995 in the 28th Bomb Wing Auditorium at EAFB to outline the proposed interim remedies to reduce risk and control potential hazards at the two OUs.

3. Summary of Comments and Questions Received During the Public Comment Period and USAF Responses

Part I - Summary and Response to Local Community Concerns

Review of the written transcript of the public meeting and of written comments received during the public comment period did not indicate community objections to the proposed interim actions.

The majority of the comments received during the public meeting were in the form of questions about the interim actions (what would be done, how it would done, when it would be started and completed and what effects the actions might have); questions about existing data and collection of additional data; and, questions about on-going Base operations. Representatives of the USAF and USEPA were available to provide answers to the questions and also provided an overview presentation during the meeting to describe the interim actions.

Part II - Comprehensive Response to Specific Technical, Legal and Miscellaneous Questions

The comments and questions below have been numbered in the order they appear in the written transcript of the April 18, 1995 public meeting. Written comments received during the public comment period are so noted at the end of the comment summaries.

Comment 1. Eris Johnson

Asked why ground water quality sampling results collected in 1990 seem so much different (lower) compared to results from samples collected through 1994.

Response 1: The data collected in 1993 and 1994 was subjected to rigorous quality control and quality assurance requirements that were mandated for this project and the analyses were performed in accordance with approved US EPA methods. It is possible different types of tests and methods were used in 1990 which could cause differences in the reported results. Differences in sampling locations, natural concentration variations and natural degradation of some of the organic compounds over time could also have resulted in the differences.

Comment 2. Eris Johnson

Asked if the proposed interim actions would remove contaminants from soils.

Response 2: Removal and treatment of both soil (by soil vapor extraction) and ground water contaminants will occur during the interim actions at OU-1; removal and treatment of ground water contaminants will occur during interim actions at OU-4. Remaining contamination at OU-4 will be evaluated as part of the final action at OU-4.

Comment 3. Eris Johnson

Expressed concern about wind-borne contaminants causing exposure and risk to downwind, off-Base residents during construction activities for the interim actions.

Response 3: Air quality monitoring will be conducted as construction proceeds and, if hazardous levels are detected, measures will be taken to ensure operations do not endanger on-site workers or off-Base residents.

Comment 4. John Luxem

Asked if his currently out-of-service well west of OU-4 might be useful as a ground water extraction well.

Response 4: Possible use of the well for that purpose will be evaluated as part of the interim action for OU-4; if the well cannot be used as an extraction well, a new extraction well will be constructed in the same general vicinity.

Comment 5. Pat O'Gorman

Asked what the time-frame was for starting the interim actions.

Response 5:

The USAF plans to begin construction at the end of May, 1995.

Comment 6. Jan Deming

Asked if the monitoring and residential wells would continue to be sampled during the interim cleanup actions.

Response 6: Sampling of residential wells has been done in the past; installation of the water line for some residents will decrease the need for future sampling of domestic wells in those areas. However, current plans are to continue off-Base sampling through the first quarter of 1996.

Comment 7. Marsha Amo

Asked how ground water flow directions were determined, whether flow directions are affected by rainfall and whether ground water contamination was affecting surface water (creeks) in the area.

Response 7: Ground water elevations were measured over time and the results were plotted on maps. A triangulation technique is then used to determine flow direction. This is the standard method of determining flow direction. In general, flow direction usually follows the topography of the land; i.e. from higher points to lower points. Data from pumping tests was used to estimate the rate that ground water flows through the subsurface material. Precipitation can affect the rate of flow at any given time but not necessarily the direction of flow. Surface water contamination was found to be mainly caused by surface water runoff rather than by ground water contamination.

Comment 8. Marsha Amo

Asked what kinds of chemicals are used to wash off the Base runways.

Response 8: Potassium acetate is used infrequently (once last year for instance) for deicing the runways. In addition, an EPA-approved detergent is used two or three times a year to wash rubber off the runways. It is applied with spraying equipment, scrubbed with brushes and vacuumed up when the USAF crew is done.

Comment 9. Phyllis Engleman

Asked if the city (Box Elder) wells had been tested for contaminants from the Base and if they were in any danger.

Response 9: The Box Elder city wells are all well outside of the known limits of Base-related contamination and are not in any danger of being affected by contamination from the Base.

Comment 10. Jan Deming

Asked how close wells could be placed in relation to OU-1 and OU-4 and whether the county was involved in placing restrictions on well development in the area.

Response 10: Even with the aid of computer models available, it would be very difficult to predict what a safe distance might be for well placement in the area. The USAF has no control over off-Base activities and residents are encouraged to work with the county concerning development in the area.

Comment 11. Lee Weimer

Asked what kinds of systems, products and procedures have been put into use at the Base to prevent future, costly releases of materials from the Base?

Response 11: Several changes have been implemented to more tightly control the use and distribution of chemicals and other materials at the Base. Examples include use of a centralized purchasing and distribution system for materials to control the types and amounts of chemicals being used for a given purpose. Education and recycling programs are also in place to reduce use of materials and to encourage responsible handling of the materials in use.

Comment 12. Eris Johnson

Asked if water being provided by the Base to residents in the area was free or whether it had to be purchased and whether the Base would provide water to future new homes in the area.

Response 12: At the current time, water is being provided at no charge to the residents and the Base is evaluating the issue of providing water to future new homes.

Comment 13. Mary McGriff

Asked whether drainage area near the Base gate (Crum property) had been sampled and whether or not the discharge water from the Base wastewater treatment plant was a concern.

Response 13: Sampling in that area is planned but has not yet been scheduled. The discharge from the treatment plant is monitored regularly and must meet discharge restrictions required by US EPA.

Comment 14. John Osnes

Asked what the anticipated duration of the interim actions would be.

Response 14: The duration is difficult to estimate at this time and will be different at each of the sites with some sites requiring longer amounts of time than others. The progress and effectiveness of each action will be monitored closely and adjusted as needed to reduce the problems as quickly as possible.

Comment 15. Eris Johnson

Asked about the pumping rate for the ground water extraction systems and the potential for the eventual dewatering of private wells to the south of the Base.

Response 15: The total design withdrawal rate is on the order of from 50 to 100 gallons per minute. Water levels in the extraction area will go down over time which will accelerate the biological degradation of contaminants in soils as contaminated ground water is being removed and treated. If off-Base wells are adversely impacted by the interim actions, the USAF will take measures to supply water to affected parties.

Comment 16. Jim Corbett

Asked if the extracted ground water would be pumped into Box Elder Creek and whether the proposed technology had been used successfully elsewhere.

Response 16: All of the extracted water will be treated in the treatment facility that will be constructed and the treated water must meet applicable US EPA standards before being discharged to an unnamed tributary that drains to Box Elder Creek. Pump and treat ground water systems and soil vapor extraction systems are standard technologies in use throughout the nation today. A regional example of a similar system is operating at the Hill Air Force Base near Salt Lake City, Utah.

Comment 17. Eris Johnson

Asked if air stripping is safe.

Response 17: Yes; if the air from the stripper is contaminated at high levels, it has to be treated (burned essentially) using a thermal oxidizer before the air is discharged to the environment.

Comment 18. Marsha Amo

Asked if there are plans to remove and clean contaminated soil.

Response 18: Soil removal and treatment is not part of the proposed interim action but will be evaluated during consideration of the future final remedy.

Comment 19. Bob Mallow

Asked if fuel-contaminated soil could be treated by aerating it.

Response 19: Yes it can, depending on soil conditions and that is one of the alternatives being considered in review of the final remedy.

Comment 20. Jim Corbett

Asked how contamination levels at Ellsworth compared to contamination at other Air Force Bases.

Response 20: Some Bases have more serious problems while other Bases have less serious problems. Ellsworth is fortunate to have the funding in place to investigate and begin correcting contamination problems now.

Comment 21. Marcia Elkins

Asked how the extracted water would be transported to the treatment facility.

Response 21: The water will be pumped through double-walled pipe to the treatment plant.

Comment 22 (Written). Michael McMahon, Western Pennington Flood Management Commission, Rapid City, SD - letter of April 11, 1995

Asked if it would be feasible to inject treated ground water into a series of wells upgradient of the contaminant plume to promote more rapid cleanup or, alternatively, providing the treated water to local ranchers and farmers for livestock or irrigation use.

Response 22: Because of the variability in the near surface geology at Ellsworth and the desire to implement the interim actions as quickly as possible (without the time for studies to adequately evaluate and implement a reinjection system), reinjection was not considered for the interim actions. Reinjection would need to be studied closely because of concerns over the potential for negative impacts. Reinjection would change the local ground water flow environment and could result in the spread of contamination. The feasibility of reinjection will be evaluated for the final actions at OU-1 and OU-4. The near-Base residents to the south and west of the sites are currently provided with water supplied by the Base. As such, they would have no current need to use the treated water for livestock or irrigation purposes.

Comment 23 (Written). Perry H. Rahn, Ph.D., P.E., Professor, South Dakota School of Mines and Technology, Rapid City, SD - letter of April 20, 1995

Suggested using site geologic data to make isopach maps of the subsurface gravel unit and using a mathematical model to better define the ground water flow environment.

Response 23: The interim action ground water extraction components were designed with the aid of a simple analytical computer model. The gravel thickness varies greatly across the Base and there is a significant level of heterogeneity within both the gravel and the fractured shale units which make up the aquifer. The hydraulic conductivity and saturated thickness vary greatly at any given operable unit and even between adjacent borehole locations due to a significant variation in clay content in the gravel and fracturing in the shale. For these reasons, it may be difficult to make a useful isopach map and may not be practical to perform more rigorous modeling. More information will become available with the operation of the interim action ground water extraction components and that information will be used to design the final remedial action components at the Base.

Comment 24 (Written). James R.D. Cox, CET, Quality Assurance Manager, Engineers Technical Services, Plantation, Florida - letter of April 24, 1995

The commenter indicated that in 1985, a contractor performing runway rehabilitation and upgrading at the Base placed soil, concrete and asphalt debris on property located west of OU-1 and now owned by the commenter and Michael J.D. Cox. Concern was expressed that the property is located in close proximity to an area being investigated for ground water contamination, material from a Superfund site had been placed on the property and no sampling or testing was performed on the property.

Response 24: An extensive remedial investigation was performed at Ellsworth in 1993 and 1994 which included the collection of numerous soil, sediment, surface water and ground water samples. The USAF, with the concurrence of the USEPA and the SDDENR, believes sufficient data was collected to determine the extent and

magnitude of contamination associated with OU-1 and OU-4 and to develop several effective alternatives for cleaning up the contamination. Review of the information collected during the investigation indicated ground water contaminant plumes are present to the south and southwest of the southwest corner of OU-4. The plume to the southwest of OU-4 was shown to be located east of the apparent location of the commenter's property. The interim action proposed for OU-4 will address ground water contamination to the south of OU-4. The final action for OU-4 will address cleanup of the plumes located to the south and to the southwest of OU-4. Authorized or unauthorized placement of construction debris on the commenter's property is not part of either the interim remedy or the final remedy selection process and would be more appropriately addressed by other means available to the commenter.

4. Remaining Concerns

Based on review of the transcript of the oral comments received during the public meeting and of the written comments received during the public comment period, there are no outstanding issues associated with implementation of the proposed interim actions. Remaining concerns related to implementation of the interim actions will be addressed by: performing air monitoring during construction and operation of the system components as needed to protect on-site workers and off-Base residents; collection of samples from a drainage area near the Base gate; and, collection of system operation and monitoring data to determine the effectiveness of the interim actions in the future.